

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|------------------|
| - | 36 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near3 ((address adj3 extension) (address adj3 value))) and (switch\$3 (thread\$3 execution process processes value)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 10:13 |
| - | 36 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near3 ((address adj3 extension) (address adj3 value))) and (switch\$3 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) device address\$3 (address\$3 adj2 signal) width (computing adj2 device) concatenat\$3 register\$3 concurrent\$3 cpu processor os o/s (operating adj2 system) (address\$3 adj3 rang\$3) call\$3 invok\$3 function\$3 initial\$7 restor\$3 writ\$3 read\$3 interrupt\$3 value suspend\$3 resum\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 10:56 |
| - | 32 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address adj3 extension) (address adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 10:56 |
| - | 32 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address adj3 extension) (address adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) device address\$3 (address\$3 adj2 signal) width (computing adj2 device) concatenat\$3 register\$3 concurrent\$3 cpu processor os o/s (operating adj2 system) (address\$3 adj3 rang\$3) call\$3 invok\$3 function\$3 initial\$7 restor\$3 writ\$3 read\$3 interrupt\$3 value suspend\$3 resum\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 12:32 |
| - | 26 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address adj3 extension) (address adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) device address\$3 (address\$3 adj2 signal) width (computing adj2 device) concatenat\$3 register\$3 concurrent\$3 cpu processor os o/s (operating adj2 system) (address\$3 adj3 rang\$3) call\$3 invok\$3 function\$3 initial\$7 restor\$3 writ\$3 read\$3 interrupt\$3 value suspend\$3 resum\$3)) and ((local data pci) near3 bus\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 12:44 |
| - | 0 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address adj3 extension) (address adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) device address\$3 (address\$3 adj2 signal) width (computing adj2 device) concatenat\$3 register\$3 concurrent\$3 cpu processor os o/s (operating adj2 system) (address\$3 adj3 rang\$3) call\$3 invok\$3 function\$3 initial\$7 restor\$3 writ\$3 read\$3 interrupt\$3 value suspend\$3 resum\$3)) and (pci near3 (device bus\$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 12:45 |
| - | 0 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address adj3 extension) (address adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) device address\$3 (address\$3 adj2 signal) width (computing adj2 device) concatenat\$3 register\$3 concurrent\$3 cpu processor os o/s (operating adj2 system) (address\$3 adj3 rang\$3) call\$3 invok\$3 function\$3 initial\$7 restor\$3 writ\$3 read\$3 interrupt\$3 value suspend\$3 resum\$3)) and (pci near7 (device bus\$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 12:48 |

| | | | | |
|---|-----|--|---|------------------|
| - | 3 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address adj3 extension) (address adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) device address\$3 (address\$3 adj2 signal) width (computing adj2 device) concatenat\$3 register\$3 concurrent\$3 cpu processor os o/s (operating adj2 system) (address\$3 adj3 rang\$3) call\$3 invok\$3 function\$3 initial\$7 restor\$3 writ\$3 read\$3 interrupt\$3 value suspend\$3 resum\$3)) and (peripheral adj3 device) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 10:47 |
| - | 4 | ("6292820" "6289369") .pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/09 13:41 |
| - | 36 | (address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near3 ((address adj3 extension) (address adj3 value))) and (switch\$3 (thread\$3 execution process processes value)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 10:16 |
| - | 2 | ((address adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near3 ((address adj3 extension) (address adj3 value))) and (switch\$3 (thread\$3 execution process processes value))) and ((address\$3 adj3 extension) near3 concatenat\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 10:33 |
| - | 0 | ((address\$3 adj3 extension) near3 concatenat\$3) same ((another second) near3 (value width)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 10:38 |
| - | 0 | ((address\$3 adj3 extension) near3 concatenat\$3) same (address near3 signal) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 12:20 |
| - | 0 | ((address\$2 adj3 signal) near3 width) same ((address\$2 adj3 extension) near5 (combin\$3 concatenat\$3)) same (address\$2 near3 extension near3 register signal)) and (sav\$3 retain\$3 stor\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 12:25 |
| - | 0 | ((address\$2 adj3 signal) near3 width) same ((address\$2 adj3 extension) near5 (combin\$3 concatenat\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 12:27 |
| - | 376 | ((address\$2 adj3 signal) near3 width) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 12:27 |
| - | 0 | ((address\$2 adj3 signal) near3 width)) and ((address\$2 adj3 extension) near5 (combin\$3 concatenat\$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 12:28 |
| - | 10 | ((address\$2 adj3 extension) near5 (combin\$3 concatenat\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/12 12:28 |

| | | | | |
|---|----|---|---|------------------|
| - | 17 | (((address\$3 adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address\$3 adj3 extension) (address\$3 adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) peripheral)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/16 08:10 |
| - | 17 | (((address\$3 adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address\$3 adj3 extension) (address\$3 adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) peripheral)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/16 08:12 |
| - | 17 | (((address\$3 adj3 extension) and (extension adj3 register) and ((sav\$3 keep\$3 stor\$3 record\$3) near5 ((address\$3 adj3 extension) (address\$3 adj3 value))) and ((interrupt\$3 chang\$3 swap\$3 switch\$3) near5 (thread\$3 execution process processes value))) and ((peripheral adj2 device) pci (peripheral adj2 component adj2 interconnect) peripheral))) and (address\$3 signal\$3 width\$3 concatenat\$3 exten\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/16 08:15 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|------------------|
| - | 22954 | (PCI (peripheral\$1 adj3 component\$1 adj3 interconnect)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:41 |
| - | 8 | thread with access\$3 with ((PCI (peripheral\$1 adj3 component\$1 adj3 interconnect))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:41 |
| - | 29 | thread with ((PCI (peripheral\$1 adj3 component\$1 adj3 interconnect))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:43 |
| - | 29493 | (PCI (peripheral\$1 adj3 component\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:43 |
| - | 47 | thread with ((PCI (peripheral\$1 adj3 component\$1))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:42 |
| - | 75400 | PCI (peripheral\$1 adj3 (component device)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:43 |
| - | 119 | thread with (PCI (peripheral\$1 adj3 (component device))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:43 |
| - | 3966 | context adj3 switch\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:43 |
| - | 6089 | address with (PCI (peripheral\$1 adj3 (component device))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:48 |
| - | 2118 | address near3 extension | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:44 |
| - | 1 | (context adj3 switch\$3) and (context adj3 switch\$3) and (address with (PCI (peripheral\$1 adj3 (component device)))) and (address near3 extension) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:46 |
| - | 15 | (thread with (PCI (peripheral\$1 adj3 (component device)))) and (context adj3 switch\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:47 |

| | | | | |
|---|----|---|---|------------------|
| - | 1 | (context adj3 switch\$3) and (address with (PCI (peripheral\$1 adj3 (component device)))) and (address near3 extension) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:47 |
| - | 47 | (address with (PCI (peripheral\$1 adj3 (component device)))) and (address near3 extension) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 17:55 |
| - | 1 | ((address with (PCI (peripheral\$1 adj3 (component device)))) and (address near3 extension)) and ((context thread\$3) adj3 switch\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 18:00 |
| - | 58 | (address with (extension near3 (size width))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 18:00 |
| - | 7 | ((address with (extension near3 (size width)))) and ((context thread\$3) adj3 switch\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/15 18:00 |